



Estes model rocket engines are safety and contest certified by the National Association of Rocketry (N.A.R.) and meet the specifications and requirements set-forth by the National Fire Protection Association.









HERE'S HOW TO USE YOUR ESTES CATALOG.

- 1) Name of the kit.
- 2 Skill Level number recommends the general skill and experience necessary for a rocketeer to successfully complete the kit. Skill Level 1 kits are suggested for beginners, Skill Level 2 for intermediate rocketeers, and so on to Skill Level 5, Expert Rocketeer.
- 3 Special features and additional kit information.
- 4 Specifications including length, diameter, and weight, in both English and Metric Equivalents, plus shipping weight for the kit.
- 5 Recommended engines for flying the rocket. Engines are listed from least powerful to most powerful. Also, indicates which engine should be used for the first flight.
- 6 Catalog number for kit which should always be used when ordering.
- 7) Price of the kit.
- 8 The background color on each page reflects the appropriate Skill Level color for the kits shown. (See chart below)
 All kits in this catalog are grouped by Skill Level.




SKILL LEVELS

All model rocket kits in this catalog require assembly unless otherwise indicated. Some of these flying model rockets can be put together and be ready to launch in minutes. Others with their sophisticated aerodynamics and wealth of detail are more challenging. The Skill Level numbers given in each kit description recommend the skills and experience necessary for a rocketeer to successfully complete the kit. Generally speaking, it is not wise to jump skill levels. Unless you are an extremely experienced modeler, you should complete a kit of Skill Level 1 before attempting Skill Level 2 . . . and you should build a Skill Level 2 rocket before moving on to Skill Level 3 . . . and so on. For further information, refer to the chart below.

Skill Level No.	Description	To Be Built By
1	Very Simple	Beginning Rocketeer
2	Fairly Easy	Intermediate Rocketeer
3	Average	Craftsman Rocketeer
4	Challenging	Advanced Rocketeer
5	Extremely Challenging	Expert Rocketeer



FLIGHT SEQUENCE & MODEL ROCKET PARTS



THIS IS WHERE TO BEGIN!" BIG REIL MEX. DELUXE MODEL ROCKETRY OUTFIT

Virtually everything you need to get started in Estes Model Rocketry in a big way. Includes the "New" Big Red Max Rocket. . . the all "New" ultra advanced Big Foot Launch Control System. . . Engines. . . Launching Supplies. . . and the "Alpha Book of Model Rocketry.

At a moderate price you get practically everything needed for assembly, lift-off, and recovery. (Batteries, glue and finishing supplies are not included.) With this outfit you'll be well on your way to discovering the exciting "World of Model Rocketry". Experience the fun of building and the thrill of flying the Big Red Max rocket. This big bird, over two feet long, is easy to assemble with die-cut balsa fins, quick-release engine mount, huge plastic nose cone, and "far-out" Red Max decal sheet. Excellent performance with giant 18" orange and white parachute.

"New" Big Foot Launch Control System (page 52) is capable of launching all the rockets in this catalog and is especially recommended for launching the Maxi-Brutes on pages 45, 46, 47, and 48. Futuristically designed launch platform features rugged plastic construction and enormous "two foot print" for maximum launch pad stability. Requires four inexpensive "D" cell batteries for power (not included). Launch pad includes blast deflector plate, 1/8"X36" two-piece launch rod, and adjustable swivel mount to compensate for wind direction.

EASY TO ASSEMBLE!

(BATTERIES, GLUE, AND FINISHING SUPPLIES NOT INCLUDED.)



YOUR BIG FOOT LAUNCH CONTROL SYSTEM WILL LAUNCH EVERY ROCKET IN THIS CATALO







Launch control unit features quick assembly plus safety key, continuity check light, ignition button and 15 feet of launch

Flight Pak is complete with three high performance, N.A.R. safety-certified engines (two "B" type and one "C" type engines) plus parachute recovery wadding and "Solar" rocket igniters for your first series of exciting flights.

Last, but not least, we have included the "Alpha Book of Model Rocketry" to help teach you the basic principles and techniques you should acquire before moving on to higher Skill Levels and more complex and exciting vehicles.

der Big Red Max Deluxe Model Rocketry Outfit

Cat. No. 1403 Ship wt. 3 lbs.



THE ALPHA III STARTER KIT

Includes the Space-Age Designed PORTA-PAD and heavy duty SOLAR LAUNCH CONTROLLER!

If you intend to make a real hobby of Estes Model Rocketry. this ALPHA III Starter Kit gives you immediate flexibility. because you'll be able to use this launch system with a standard 1/8" launch rod for most rockets, and the 3/16" maxi-rod for the giant "D" powered flying model rockets like the unbelieveable Maxi-Brutes that stand more than 3' tall (see pages 45 - 48).

In addition, the PORTA-PAD tilts to your specifications giving you the option of distance as well as height. You have flexibility, too, with the SOLAR LAUNCH CONTROL system, in that it can be activated by only 4 alkaline AA batteries for power (not included). Advanced shape allows for perfect hand-held control, and unit is easily assembled in minutes.

KIT INCLUDES:

- 1. ALPHA III Rocket with rugged bright plastic one-piece fin unit and nose cone.
- 2. Realistic Decal sheet with water soluble decals for easy application
- 3. Brightly colored 12" Recovery Parachute with shroud lines and shock cord.
- 4. PORTA-PAD launch platform of heavy duty plastic with strong girder construction, yet easy to disassemble and extremely portable. Features 36" long x 1/8" diameter standard launch rod.
- 5. Blast Deflector Plate to protect the Porta-Pad.

THIS KIT-If Sold Separately-Would Cost Approximately \$17.05. YOU SAVE \$4.10

6. SOLAR LAUNCH CONTROLLER, tremely lightweight and futuristically designed, requiring only 4 alkaline AA batteries (not included) for ease of transport.

7. Parachute Recovery Wad-

8. Solar Igniters.
9. Three NAR Safety Certified Rocket Engines.

10. Alpha Book of Model Rock etry, the complete beginner's tecl manual and quide.

Ship wt. 3 lbs Cat. No. 1406

Only \$12.95

For full description of major items in this kit see: Alpha III (p. 15), Porta-Pad (p. 53) and Solar Launch Controller (p. 53).

HERE'S THE STARTER KITTHAT'LL GIVE YOU THE SOPHISTICATED LAUNCH SYSTEM YOU'LL NEED FOR THE "BIG BIRDS LATER ON!

Challenger-1 Flying Model Rocketry Stanton With

This high performance Challenger-1 rocket is very easy-toassemble with bright orange plastic nose cone and fin unit. Features quick-finish decor with precolored body tube and realistic roll pattern decals. No painting required! This Challenger-1 rocket can be launched over and over again and can attain altitudes over 1,000 feet! Returns via 12" recovery parachute. You need only replace the rocket engine, igniter, and recovery wadding for each new flight.

Challenger-1 Launch Control System features futuristically designed hand-held launch controller with arming lamp, safety key, launch button, and 15 feet of launch cable with micro igniter clips. Plus sleekly designed launch pad with blast deflector plate and 1/8"X36" two-piece launch rod. Entire system sets up quickly for launch and disassembles easily for compact storage.

Flight Pak includes three N.A.R. safety certified model rocket engines, parachute recovery wadding, and high reliability Solar Igniters for three exciting flights.

Special Bonus - New "Beginner's Tech Manual" filled with model rocketry data to get you started off right. (Ship. wt. 1 lb.)

Recommended Engines: A8-3 B6-4 C6-5

Cat. No. 1416

ONLY

\$9.95

Challenger Flying Model Rocketry
Starter Kit

(Requires 6 volt lantern battery and glue-not included) Assembles in less than 30 Minutes!







STAR TREK

The Perfect Model Rocketry STARTER KIT

Complete with everything you need to lift-off in minutes. (less 6-volt lantern battery and glue).

Right out of the future! Here's power... beauty... design — all fused into a neat, sleek starter kit that's easy to assemble, with no painting required.

While you'll want to use lower powered engines on your first flight, your STAR TREK rocket will take our higher powered engines, that will send it streaking skyward to over 1,000'. You'll almost hear Captain Kirk giving the orders while Spock scans the banks of instruments in preparation for return to Earth via the multi-colored 12" Recovery 'chute.

KIT INCLUDES:

- 1. Star Trek rocket that requires no painting with easy-to-assemble engine mount.
- 2. Fin unit of brightly colored plastic.
- 3. Decals of yellow and red for body and fins that simply press-on.
- 4. Nose Cone of rugged plastic.
- 5. Recovery Parachute
 Assembly that features
 spectacular 12" orange-andwhite striped 'chute, shroud
 lines and shock cord, plus
 all mounting materials.
- 6. STAR TREK Launch Control System, futuristically designed to include launch button, safety interlock key, special arming lamp for testing circuitry, lightweight launch cable and micro-igniter clips.
- 7. Launch Rod 36" tall x 1/8" diameter to guarantee a straight, true lift-off every time.
- 8. Mini-Blast Deflector to protect your launch system at blast-off.
- 9. Power Cap of highimpact plastic to fit easily on or 12-volt lantern battery to serve as combination power source and launch pad (6-volt lantern battery not included with kit).

Shipping wt. 1 lb. 2 oz.

STAR TREK FLYING MODEL ROCKETRY STARTER KIT

Cat. No. 1418 ONLY \$995

10. Three NAR Safety-Certified Rocket Engines for your first three flights to send your STAR TREK rocket hundreds of feet into the sky. Later you can use more powerful engines to achieve heights over 1,000 feet!

11. Recovery Wadding to protect 'chute assembly from effects of rocket blast.

12. Astron igniters for re liable rocket ignition every time.

13. Beginners
Tech Manual,
chock full of
model rocketry
information.



Ready-To-Launch In Less Than 30 Minutes



1/68th Scale X-15 Rocket Ready-to-launch in 15 minutes.

The perfect beginner's outfit for father and son. Be ready to launch your X-15 Rocket Plane in less than 15 minutes. Features

all plastic snap-together construction for easy, quick assembly.

Ready-to-fly X-15 Rocket Plane comes with preassembled 10" parachute, authentic scale decor, and easy-lock engine mount. It looks like the real thing!

Portable futuristic launch control system is ruggedly designed to provide launch-after-launch enjoyment. Advanced launch controller is designed for easy-grip hand held control with safety interlock key and launch control button. Realistic launch pad features 24" two-piece launch rod, pre-soldered micro-clips, mini-blast deflector, and sturdy girder construction. The entire system is pre-wired. (Requires four AA size alkaline penlight batteries for operation.)

X-15 Flight Pack includes 3 NAR Safety Certified A3-4T mini engines, parachute recovery wadding, and Estes high reliability Solar Igniters.









Get the most out of model rocketry.... Join the ESTES AEROSPACE CLUB today!

The most exciting hobby on Earth is even more fun when you are a member of the most exciting rocket club on Earth — The Estes Aerospace Club.

As soon as you join, you'll receive your own special EAC membership kit which in-

cludes the following exciting items:

VIPER ROCKET — Special kit designed exclusively for members of the Estes Aerospace Club. Features sleek styling, parachute recovery, and Mini-Brute power for maximum high performance.

MEMBERSHIP CERTIFICATE - Handsome membership certificate suitable for

framing.

CLUB EMBLEM — Official iron-on patch with EAC insignia for tee shirt or jacket. And as you progress to higher skill levels, you'll receive additional iron-on "thrust bars" signifying your achievements.

DECAL SHEET - Special EAC rocket decals to identify your models as part of the

EAC fleet.

RANGE BOX STICKERS — Bright, multipurpose stick-ons for your range equipment.

EAC STATIONERY — Distinctive rocketeer stationery for your most important notes and letters.

MODEL ROCKETRY TECHNICAL MANUAL.— Includes information on construction techniques, finishing, stability, tracking, recovery systems, multi-staging, and boost gliders, plus many other subjects.

COPY OF MODEL ROCKET NEWS — Features free plan designs, technical articles, cartoons, contests, construction hints, rocketeer contributions, special projects, and

much, much more.

EAC PRODUCTS BULLETIN — Special club flier featuring outstanding offers for EAC kits, parts and accessories, rocket plans and technical publications which are available ONLY to members.

Membership in the Estes Aerospace Club opens up a whole new world of exciting

model rocket activities. Your EAC Membership Kit is just the beginning.

You'll be eligible to participate in special projects and exciting contests open only to EAC members — many of them involving valuable prizes. As an official EAC club member you will be eligible for exclusive kits and special product offers. You'll have the opportunity to be selected as a member of the EAC Advisory Board which will suggest new product ideas to Estes Industries.



SKILL LEVEL 1

Big Bertha

Perfect kit for a "big" second rocket. Ideal for demonstration launches. Slow,

realistic lift-off for really spectacular flights. 24" from nose to tail, quick-release engine mount, and giant 18" parachute recovery make it a real favorite of rocketeers.

Specifications

Length 24" (61cm)

Diameter 1.637" (41.6mm) Weight 2.2 oz. (62.4 g) Shipping wt. 11 oz.

Recommended Engines A8-3 B4-2 B6-2 (First Flight) B6-4 C6-5

Cat. No. 1223 \$4.50

Alpha

Skill Level 1 The ideal kit for your first or second rocket. Swept fin design makes it a really great performer. Balsa nose cone and fins, quickrelease engine mount, and 12"

parachute recovery. **Specifications**

Length 12.25" (31.1cm) Diameter 0.976" (24.8mm) Weight 0.8 oz. (23 g)

Shipping wt. 5 oz. Recommended Engines

1/2A6-2 A8-3 (First Flight)



WIZA

Simple, quick construction with balsa nose cone and diecut fins. One of the highest performing vehicles in Estes fleet with its 1600 foot altitude capability and huge 30 inch streamer recovery system that makes it easy to track. Includes great looking kit decals too!

Specifications Length 12" (30.5cm) Diameter 0.736" (18.7mm) Weight 0.79 oz. (20 g)

Ship wt. 5 oz.

Recommended Engines 1/2A6-4 A8-5 (First flight)

B4-6 B6-4 B6-6 Cat. No. 1292

Alpha III

Skill Level 1
Another great first or second kit. Plastic nose cone and fin assembly make for easy, quick assembly. This rocket will deliver outstanding performance flight after flight. Roll pattern decal, quick-release engine mount and 12" parachute are features.

Specifications

Length 12.25" (31.1cm) Diameter 0.976"

(24.8mm)
Weight 1.2 oz.(33.9 g)
Shipping wt. 10 oz.
Recommended Engines
1/2A6-2 A8-3 (First
Flight) B4-4 B6-4
C6-5
Cat. No. 1256 \$3.00

SCOUT Estes Industries' first model rocket.

Skill Level 1

Originally developed in 1959, the Scout is still a super popular kit among rocketeers. Now our most historic rocket, it is sure to become a real collector's item. Teaches you elementary balance and design principles. Sleek lines and tumble recovery for really exciting flights.

Pat. No. 3,114,317

Pat. No. 3,114,3
Specifications

Recommended Engines 1/2A6-2 (First Flight) A8-3 B6-4 C6-5

Cat. No. 1201 \$1.50

Sky Hook

ESTES

Skill Level 1
An excellent kit for your second rocket.
Easy-to-build with 12" parachute recovery. Terrific performance flight after

flight.
Specifications

Length 12" (30.5cm)
Diameter 0.765" (19.4mm)
Weight 0.7 oz. (20 g)
Shipping wt. 5 oz.

Recommended Engines 1/2A6-2 (First Flight) B6-6 B4-4 C6-7

Cat. No. 1208 \$2.25

STREAK

Skill Level 1

Lightweight (1/8 oz. without engine) with windcheating design. Great for contests and records. Features simple feather-weight recovery.

Specifications

Length 5.6" (14.2cm)
Diameter 0.720" (18.3mm)
Weight 0.1 oz. (3 g)

Shipping wt. 4 oz.

Recommended Engines

1/2A6-4 (First Flight) A8-5 B6-6 C6-7

Engines, Launch System, and Glue not included.

SKILL LEVEL 1

Mark II

Skill Level 1 Ideal for sport or demonstration flying. Designed for midbody ejection/separation system with streamer recovery, it's an excellent challenge for the novice rocketeer. Top-notch performance every time. Specifications

Length 9.1" (23.1cm) Diameter 0.765" (19.4mm) Weight 0.7 oz. (20 g) Shipping wt. 5 oz. **Recommended Engines**

1/2A6-2 (First flight) A8-3 B6-4 C6-5

Cat. No. 1202 . . . \$2.25

QUASAR Skill Level 1

Dramatic, easy-to-build model for beginners. Bright white plastic nose cone and fin assembly. Metallized-preprinted wrap-on decal for the body tube. No painting required! Quick-release engine mount and recovery by 12" plastic parachute.

Specifications

Length 14" (35.6cm) Diameter 0.976" (24.8mm) Weight 1.5 oz. (42 g) Shipping wt. 10 oz.

Recommended Engines 1/2A6-2 A8-3 (First flight) A8-5 B4-4 B6-4 C6-5 Cat. No. 0650 . . \$3.50

X-RAY

CTESTES)

MARK

Perfect for your first payloader or second kit. Features large see-through payload/ cargo section. Perfect for research work of all kinds. The recommended singlestage payload vehicle for small biological projects. 12" parachute recovery.

Specifications Length 16.75" (42.5cm) Diameter 0.736" (18.7mm) Payload Sec. Dia. 0.976" (24.8mm) Weight 0.7 oz. (20 g) Shipping wt. 5 oz.

Recommended Engines 1/2A6-2 A8-3 (First flight) B6-4 B14-5 C6-5 Cat. No. 1218 \$3.50





ANTARES

Skill Level 1

Achieve flights over 1200 feet with this high performance sports model. Kit features include fin and roll pattern decals plus 10" parachute recovery. Easy assembly with plastic nose cone, die-cut balsa parts, and quick-release engine mount.

Specifications

Length 14.6" (37.1cm) Diameter 0.976" (24.8mm) Weight 0.77 oz. (22 g)

Shipping wt. 5 oz. Recommended Engines 1/2A6-2 A8-3 (First flight) A8-5 B4-4 B6-4 C6-5

Cat. No. 1276 \$3.25

SCAMP

Skill Level

Great sports flier with sleek, high performance design. Features 12" parachute recovery with roll pattern and fin decals. Easy-to-assemble with die-cut balsa parts, plastic nose cone and quick-release engine mount.

Specifications

Length 13.75" (34.9cm)
Diameter 0.976" (24.8mm)
Weight 0.8 oz. (23 g)
Shipping wt. 5 oz.

Recommended Engines 1/2A6-2 (First flight) A8-3 B6-4 C6-5 Cat. No. 1286

\$3.00

ICARUS

Skill Level 1 High altitude payload vehicle with see-through cargo section. Achieve flights of over 1,000 feet with lightweight payload. Simulated sounding rocket appearance with dual roll pattern decor & 12" parachute recovery. Plastic nose cone, diecut balsa parts. and quick-release engine mount are included for rapid assembly and easy

operation.
Specifications

Length 20.8" (52.8cm)
Diameter 0.976" (24.8mm)
Weight 1.3 oz. (37 g)
Shipping wt. 5 oz.

Recommended Engines 1/2A6-2 A8-3 (First flight)

11

B6-4 C6-5 Cat. No. 1277 \$3.50

mini

A little sister to the famous Big Bertha listed on page 14 Great performance with colorful 10" parachute recovery. Two-color decal sheet, quickrelease engine mount, and balsa and paper construc-

Specifications Length 11.25" (28.58cm) Diameter 0.736"

(18.69mm) Weight 0.484 oz. (13.72 g)

Shipping wt. 6 oz. Recommended

Engines 1/2A3-2T (First flight) A3-4T

A10-3T Cat. No. 0803 \$2.25



SKILL LEVEL 1

MOSQUITO

This smallest of all Mini-Brutes combines fantastic performance with feather weight recovery. Balsa and paper construction with simple spray paint decor makes for quick and easy assembly.

Specifications

1/4A3-4T

Length 3.9" (9.9cm) Diameter 0.541" (13.74mm) Weight 0.1 oz. (2.83 g) Shipping wt. 4 oz. **Recommended Engines** 1/4A3-2T (First flight)

1/2A3-4T A3-6T A10-3T Cat. No. 0801



creamer

Skill Level 1

Another super performer featuring spectacular streamer recovery. Screaming off the pad this bird is sure to catch the attention at your launch site.

Specifications

Length 7.8" (19.81 cm) Diameter 0.541" (13.74mm) Weight 0.255 oz. (7.23 g) Shipping wt. 6 oz.

Recommended Engines 1/4A3-2T (First flight) 1/4A3-4T 1/2A3-4T A3-6T A10-3T Cat. No. 0802

\$2.25





2 For The Price Of 1 Super Flea & Javelin Only \$2.75

Super Flea

Skill Level 1
The "Flea" has a competition design for ultra-high performance. Reaches incredible altitudes with ogive nose cone and swept fins. Easy-to-build and features breakaway drag recovery.

Specifications
Length 7.34" (18.64cm)
Diameter 0.541" (13.74mm)
Weight 0.158 oz. (4.5 g)
Recommended Engines
1/4A3-2T (First flight) 1/2A3-2T
1/2A3-4T A3-4T A10-3T
JAVELIN & SUPER FLEA

COMBINATION
Shipping wt. 6 oz.
Cat. No. 0815 \$2.75

Javelin

Skill Level 1
Super performance, easy-to-build competition design with streamer recovery. Scale-like sounding rocket appearance. Reaches altitudes over 1,000 feet.

Specifications
Length 12.4" (31.5cm)
Diameter 0.541" (13.74mm)
Weight 0.34 oz. (9.6 g)
Recommended Engines
1/4A3-2T (First flight)
1/2A3-2T A10-3T
A3-4T

rogue

UNITED STATES

Skill Level 1
Scale-like sounding
research vehicle with
realistic decor. Excellent performance for
great sport flying. 10"
parachute recovery and
die-cut balsa parts.
Specifications

Specifications Length 11,7" (29,7cm) Diameter 0.736" (18.7mm) Weight 0.75 oz. (21.26 g) Shipping wt. 6 oz.

Recommended Engines 1/4A3-2T (First flight) 1/2A3-2T A3-4T A10-3T Cat. No. 0818 \$2.25

LITTLE JOHN

Skill Level 1
Authentic appearance of a semi-scale surface-to-surface military vehicle with U.S. Arr

military vehicle with U.S. Army decor. Die-cut fins, quickrelease engine mount and bright 10" parachute recovery.

Specifications
Length 14,0" (35,6cm)
Diameter 0.976" (24,81mm)
Weight 0.875 oz. (21,2 g)
Shipping wt. 6 oz.
Recommended Engines
1/2A3-2T (First flight) A3-4T A10-3T

Cat. No. 0819

A10-3T \$2.75







Scale model of famous surface-to-air interceptor missile. Authentic Canadian Air Force decor. Features die-cut fins, quick-release engine mount, and 10" parachute recovery.

Specifications

11.75" (29.85cm) Length 0.736" (18.69mm) 1.0 oz. (28.3 g) Diameter

Weight Wing Span 4.5" (11.43cm)

Shipping wt. 5 oz.

\$3.75

1/2A3-2T (First Flight)

Recommended Engines A3-4T A10-3T





SKILL LEVEL 2



"D" POWERED BIRDS

Using our mighty "D" engines these kits offer the ultimate in power and performance. Perfect for high altitude research and many payload experiments. All kits come complete ready-to-assemble with instructions. Engines not included.

A·20 DEMON

Super performing payload carrier with sounding research vehicle appearance. Bright silver easy-track foil press-on decal for payload section. Allows for accurate in-flight tracking and recovery. Quick-release engine mount, sleek die-cut fins and 18" parachute.

Specifications

Length 26.5" (67.3cm) Diameter 1.325" (33.6mm) Weight 2.75 oz. (78 g) Shipping wt. 12.5 oz.

Recommended Engines

D12-7 Also:

B6-4 B14-5 C6-5 (Using EM-2050 Adapter

not included.) Cat. No. 1258 \$7.00

CHEROKEE-D

Skill Level 2 Sleek and powerful "D" engine rocket that will practically sail out-of-sight. Big 18" 'chute brings it down safely flight after flight. Die-cut fins. quick-release engine mount and sharp two-color decals. A really beautiful model for your first "D" powered kit.

Specifications

21.6" (54.9cm) Length 1.325" (33.7mm) Diameter Weight 2.75 oz. (78 g)

Shipping wt. 11 oz. **Recommended Engines**

D12-5 (First flight) D12-7





Skill Level 2

Spectacular, ultra-high performance "D" bird over 33" long. R&D style design gives it a real test vehicle appearance. Low-drag styling and giant 18" 'chute means an outstanding flight every time.

Contemporary decals, quick-release engine mount and die-cut fins.

Specifications

33.8" (85.9cm) 1.637" (41.6mm) Length Diameter Weight 4.6 oz. (132 g) Shipping wt. 12 oz.

Recommended Engines

D12-5 (First flight) D12-7

Cat. No. 1271 \$5.00



Flights up to 1500 feet are possible with this big "D" engine powered payloader. Great sports model with large payload section, die-cut balsa fins and quick-release engine mount. Includes great looking kit name decal, high performance plastic nose cone and giant 18" parachute.

Specifications

Length 32.75" (83.2cm) Diameter 1,325" (33.7mm) Weight 2.39 oz. (67.8 g)

Ship. wt. 11 oz.

Recommended Engines

D12-5 D12-7 (First flight)

C6-5 (with EM-2050 adapter not included. See

page 62.

Cat. No. 1290

\$4.50



SKILL LEVEL 2 MULTI-STAGERS

Multi-Staging is the next step in expanding your model rocketry skills. Each kit demonstrates how real space ships operate. The first stage is always ignited electrically. Second stage ignition occurs automatically in mid-flight upon burnout of the first stage. Performance and maximum altitude are dramatically increased thru multi-staging.

AVENGER

Skill Level 2

Long, slender lines give this bird the sounding rocket look. Large 18" chute brings payload section back gently, booster employs tumble recovery.
Pat. No. 3,292,302

Specifications

Diameter 1.325" (33.7mm)
Weight 2.7 oz. (77 g)
Shipping wt. 16 oz.

Recommended Engines
UPPER STAGE

A8-5 B6-6 (First Flight) C6-7 BOOSTER

A8-0 B6-0 (First Flight)

B14-0 C6-0

Vigilante

Skill Level 2
Ultra-high performance two-stage model for flights over 1100 feet.
Kit features include impressive kit name decal, low drag plastic nose cone, and die-cut balsa fins. Sleekly designed upper stage returns via 18" parachute while the booster employs tumble recovery.

Specifications

Length 26.5" (67cm) Diameter 1.325" (33.6mm) Weight 2.25 oz. (64 g) Shipping wt. 13 oz.

Recommended Engines
UPPER STAGE

1/2A6-4 A8-5 (First Flight) B4-6 B6-6 C6-7

BOOSTER A8-0 (First Flight) B6-0

Cat. No. 1278 \$5.00

FIREFLY

Skill Level 2

"Hitchhikes" on other larger models for glide durations of up to 30 seconds beginning at apogee. Perfect kit for your first glider with die-cut balsa parts. Impressive performance.

Specifications

Length 12" (30.5cm)
Wing Span 4.5" (11.4cm) S
Cat. No. 1280

Weight 0.16 oz. (4.6 g) Shipping wt. 5 oz.

. \$1.50



lean Machine

Tallest rocket in the Estes fleet. Over 6 feet long with giant 24" parachute recovery. "D" engine powered for spectacular flights over 800 feet. Easily assembled with die-cut balsa fins, quickrelease engine mount and plastic nose cone. Huge "kit name" decal adds the finishing touch for a really great looking bird.

Specifications

Length 78.75" (200cm) 1.637" (41.6mm) Diameter Weight 5.8 oz. (164 g) Ship wt. 16 oz.

Recommended Engine

D12-5

Ship wt. 16 oz.

Cat. No. 1295 \$8.00

Over 6 Feet Tall!



Skill Level 2

Attain flights over 700 feet with "C" engine from this extra long sport flier. Giant decal sheet plus die-cut balsa fins, quick-release engine mount and plastic nose cone. Perfect demonstration model with large 18" parachute recovery.

Specifications

59" (149.9cm) Length 1.325" (33.6mm) Diameter 3.17 oz. (90 g) Weight

Recommended Engines

A8-3 (First flight) B4-4 B6-4 C6-5 Ship wt. 12 oz.

Cat. No. 1294 . . \$5.00

Engines, Launch System, and Glue not included.



WAC CORPORAL

Skill Level 2 Great model for your first scale bird. U.S. Army ground-to-ground ballistic and research vehicle. Lowdrag design makes it a terrific sport-flier too! Accurate 1/16th scale. Die-cut fins and 12" 'chute. **Specifications** Length 11.8" (30cm) Diameter 0.736' (18.7mm) Weight .7 oz. (20 g) Shipping wt. 5 oz. **Recommended Engines** 1/2A6-2 (First Flight) A8-3 B6-4 C6-5 Cat. No. 1211 . . . \$2.75



(1/10th Scale)

Skill Level 2 A mighty "D" engine powered, ultra-detailed, 30" tall scale model. Actual rocket is single-stage, solid-propellant vehicle developed for upper-atmosphere research experiments. Real Sandhawk is capable of reaching a 100 mile apogee with 200 lb. payload. Our scale version features all plastic, highly-detailed nose cone, payload section, fins and tail assembly. Quick-release engine mount plus 12" 'chute for payload and big 18" parachute for rocket.

Specifications Length 30.1" (76.5cm) Diameter 1.325" (33.7mm) Weight 5 oz. (141.75 g) Shipping wt. 11oz.

Recommended Engines

B4-2 C6-3 D12-5 (First Flight) Use EM-2050 adaptor for other than "D" engines, not included. See page 62.

Cat. No. 1251 . . .



Replacement Plastic Parts Kit: (SANDHAWK ONLY) Includes tail section, fins, payload section, nose cone and antennae. Cat. No. 45011 \$3.25

BLACK **BRANTI**

Skill Level 2 Sounding scale model of the primary research vehicle produced by Canadian Bristol Aerospace. An excellent choice for your first scale project. Simple construction with plastic nose cone and engine nozzle, die-cut balsa fins and quick-release engine mount. Plus authentic scale decals and 12" parachute. Flys over 1,000 feet with "C" engine.

Specifications 20.6" (52.3cm) Length .976" (24.8mm) Diameter Weight 1.06 oz. (30 g) Ship wt. 5 oz.

Recommended Engines A8-3 (First flight) B4-4 C6-5

Cat. No. 1293 \$4.00



PHOTON DISRUPTOR

Skill Level 2

Equip your star fleet with this sophisticated scale missile from the 23rd century. Designed primarily as a mass conversion weapon to overload the defensive screens of an enemy vessel, the actual Photon Disruptor may also be programmed as an interceptor missile, a proximity space mine, or a space distress signal. Exact size, speed, range, and destruct radius of this vehicle are classified. Photon Disruptor uses impulse power unit and guidance system for launch from planetary surface. Kit features operational status detailing decor and comes complete with 12" parachute. Assembly and operation are made easy with plastic nose cone, die-cut balsa parts, and quick-release engine mount.

Specifications

Length 18.25" (46.4cm) Diameter 0.976" (24.8mm) Weight 1.4 oz. (40 g)

Shipping wt. 6 oz.

Recommended Engines 1/2A6-2 A8-3 (First flight) A8-5 B4-4 B6-4 C6-5

Cat. No. 1282 \$3.50

Odyssey

Skill Level 2

This unique interstellar spacecraft is conceived to perform a variety of space rescue, exploratory, or intruder intercept missions. Odyssey's modular configuration permits rapid pre-launch preparation to flight status. Impulse power unit jettisons after lift-off from planetary launch site. Its two-man crew and engineering section are then accelerated to near-light velocities for rendezvous and space rescue operations. Our designer's version includes die-cut balsa fins, 18" dia, recovery parachute and two-color rescue vehicle decor. Quick-release engine mount and super-detailed plastic nose section complete

super-detailed plastic nose section complete the exotic styling of this advanced spacecraft.

Specifications:

Length 24.1" (61.21cm)
Diameter 1.325" (33.7mm)
Weight 2.40 oz. (68 g)


Shipping wt. 12 oz.

Recommended Engines

B4-4 B6-4 (First flight) C6-5

Cat. No. 1289 \$5.00









Length

plastic nose an realistic two-color recovery. Specifications

22.25" (56

Envis sophisti by hostile nuclear and l

Diameter .0976" (24 Fin Span 5.5" (14cm Weight 1.38 oz. (3 Ship wt. 11 oz.

Recommended Engines A8-3 B4-4 (First flight) Cat. No. 1296

SOLAR SALLER



GLEAMS LIKE A JEWEL HIGH UP IN SPACE!

Skill Level 3
Simulates one of the newest, most sophisticated space concepts for the 1980's,

and like the Space Shuttle Enterprise, Estes engineers have it flying long before NASA does. Developed for low cost, long duration, deep space missions the real vehicle will use sunlight pressure to push it away from Earth at speeds up to 35,000 mph. Our model features printed balsa fins, quick-release engine mount and realistic decals simulating solar panels and girder construction. Truly spectacular recovery with giant 24" solar sail 'chute.

Specifications

Length 39" (100cm)
Diameter .976" (24.8mm)
Weight 2.8 oz. (80 g)
Ship wt. 11 oz.

Ship wt. 11 oz.

Recommended Engines

B6-4 (First flight) C6-5

constella

Skill Sleekly styled single-stage loader, perfect for those scargos. Exotic appearance fin tip "landing shocks" git a real "space ship" look Great performance for spot flying. See-through paylog section, and 12" para-

Specifications Length 16.2"

(41.4cm) Diameter 0.976" (24.8mm)

Weight 1.0 oz. (28 g)

Shipping wt. 5 oz.

\$6.00



Catellite Interceptor

II Level 3 oned by designers to be operational by 1990, this ultracated interceptor patrols near-space for possible aggression satellites. Highly advanced defense systems include both azer armaments. Kit features include printed balsa fins,

d exhaust cones, quick-release engine mount, and decals. Flights over 600' with 12" parachute

.5cm) .8mm)

> B6-4 C6-5

> >\$4.00



pay-

maller , plus ves

ort

Recommended

Engines /2A6-2 A8-3 (First ight) B6-4 B14-5

. No. 1235 \$3.25

Skill Level 3

Advanced concept for NASA Space Station designed for either Earth or lunar orbit. Envisioned as a manned scientific laboratory assembled in space and operational by the year 2000, its multi-

national crew would be resupplied by Earth

or perhaps via a lunar colony shuttlecraft. Our version features unique ring/fin stabilization, simulated solar panels and realistic docking shuttlecraft for display (removes quickly for flight). Plus dramatic 3color decal, quick-release engine mount and 12" parachute recov-

ery. **Specifications**

Length 27.75" (70.49cm) Solar Panel 7.4" (18.80cm)


Ring Diameter 4.0" (101.6mm) 2.19 oz. (62 g) Shipping wt. 11 oz.

Recommended Engines B6-4 (First Flight)

\$5.00 Cat. No. 1288

Realistic Docking SHUTTLE CRAF

SKILL LEVEL 3



Patrolling the distant outposts of our galaxy are super-fast starships like the USS Atlantis. This multi-mission star cruiser is designed for patrol, escort, transport, and fleet battle operations. Star flight capability is provided by two giant aft propulsion units. The unique, multi-level flight deck allows massive planet-side operations from synchronous or standard planetary orbit. In addition to superior speed and maneuverability, its powerful weaponry enables it to deal single-handedly with most alien vessels. Kit includes colorful decals, die-cut balsa fins, plastic nose cone, and quick-release engine mount. Excellent performance with impressive 12" parachute recovery for flight-after-flight enjoyment.

300-1101

Specifications

Length 23.3" (59.2cm)
Diameter 0.976" (24.8mm)
Weight 1.86 oz. (52.7 g)

Shipping wt. 11 oz.

Recommended Engines

Andromeda

Skill Level 3

Designed for journeys to distant planets this incredible "starship of the future" will be an outstanding addition to your model rocket collection. Performing interplanetary missions within the galaxy, our engineer's conception of the actual ship features simulated hybrid fission-ion propulsion engines, forward crew module and colorful mission decor. This beauty is over 43" long and represents a unique entry to our own Starship Fleet. Kit features include die-cut parts, highly detailed and quick-release engine mount. Andromeda's flights are of course most spectacular, especially with giant 18" parachute recovery.

Specifications

Length 43.3" (110cm)
Diameter 0.736" (18.7mm)
Fin Span 11.8" (30.1cm)
Weight 3.0 oz. (85 g)
Ship wt. 11 oz.

Recommended Engines B6-4 (First Flight) C6-5

Cat. No. 1273 \$6.00



Engines, Launch System, and Glue not included.

SKILL LEVEL 3

Drifter

Skill Level 3

Swept-fin design, low weight, and large 'chute capacity make this bird great for competition, test, or sport flying. Interchangeable chutes: 24" for competition and 12" for test and

Specifications

Length 14.3" (36.3cm)
Diameter 0.976" (24.8mm)
Weight 1 oz. (28 g)
Shipping wt. 5 oz.

Recommended Engines

1/2A6-2 (First Flight) A8-3

B6-4 C6-5

Cat. No. 1214 \$3.50

SPRINT

Skill Level 3
Real competition design.
Highest performance in its class. Up to 1,600 ft, with C6-7 engine. Low drag ogive nose cone and reducer tail section. Contest winning die-cut elliptical fins, decals, and streamer recovery.

Specifications Length 13.8" (35cm)

Diameter 0.976" (24.8mm)
Weight 1.0 oz. (28 gl
Shipping wt. 7 oz.

Recommended Engines 1/2A6-2 A8-3 (First Flight) B14-5 B4-6

B6-6 C6-7 Cat. No. 1249 \$ 3.25

GOBLÍN

Skill Level 3
Powerful and fast,
this spooky little kit
really gets up and
moves. You'll need a good
recovery team to retrieve her as

she'll reach 1,500 feet and more flight after flight with "D" engines. Dramatic recovery with big, 2" wide bright orange tracking streamer. Includes die-cut fins, crazy decals and quick-release engine mount.

Specifications

Length 14.32" (36.3cm)
Diameter 1.325" (33.6mm)
Weight 2.0 oz. (56.6 g)
Shipping wt. 7 oz.

Recommended Engines

D12-7 (A8-3, B6-4 and C6-5 with adapter EM-2050, not included. See page 62.

Cat. No. 1255 \$4.50



GVROC

"WITH HELICOPTER RECOVERY"

Skill Level 3

An amazing and unique "helicopter" recovery system makes the Gyroc a must for your fleet. Lifts-off with main fins in straightaway position. Engine's ejection charge allows rear fin tips to snap sideways causing rotor effect and helicopter recovery. Unusual appearance and strange performance is sure to catch the interest of on-lookers.

Specifications

Length 9.8" (24.9cm)
Diameter 0.736" (18.7mm)
leight 0.6 oz. (17 g)

Weight 0.6 oz.

Recommended Engines
1/2A6-2 (First Flight) A8-3 B6-4



Skill Level 3
Employs easy pop-and-go staging method.
Just insert engines, plug the stages together
and you're ready-to-go! Transparent
payload section for your cargo. Really
sleek design for super high performance
flights. Die-cut fins and deluxe four-color
decals. Optional 12" or 18" parachute
recovery with tumbling booster.

Specifications

B14-0 C6-0

Length 29.5" (74.9cm)
Diameter 0.976" (24.8mm)
Weight 2.25 oz. (64 g)
Shipping wt. 11 oz.
Recommended Engines
UPPER STAGE
1/2A6-4 A8-5 B6-4
B6-6 (First flight) B14-7
C6-7
BOOSTER
A8-0 B6-0 (First flight)

Cat. No. 1246 \$7.00

OWECY

Skill Level 3
Recommended launch
vehicle for the Cineroc
aerial movie camera. Ultimate in two stage, "D"
engine performance for lofting heavier payloads. Features pop-and-go staging, high
performance plastic ogive nose
cone, large payload section and
die-cut fins. Plus two-color fin
decals, 18" parachute recovery
and tumbling booster.

Specifications

With Payload Section and nose cone (for use without Cineroc). Length 30.5" (77.5cm)
Diameter 1.637" (41.6mm)

Diameter 1.637" (41.6mn Weight 4.0 oz. (113 g) Shipping wt. 15 oz.

Recommended Engines

D12-5 (First flight) Booster: D12-0 Upper Stage: D12-7

Upper Stage: D12-7 Single Stage Flights: D12-5 (Does not include camera) Cat. No. 1200

\$9.00





NIKE AJAX

Skill Level 3

The first supersonic anti-aircraft missile, the Nike Ajax, was developed to defend large cities and industrial complexes against enemy bomber attack. Acutal vehicle has a range of 30 to 50 miles and an effective altitude capability of approximately 60,000 feet at a speed of more than 1500 miles per hour. Real vehicle is boosted by a solid propellant rocket which drops away at a predetermined height as a sustaining liquid propellant motor cuts in. Our 12.4 to 1 semi-scale model comes complete with authentic U.S. Army decor and realistic detailing. Kit includes 18" parachute recovery, die-cut balsa parts, and quick-release engine mount.

Specifications

Length 31.25" (79.38cm)
Diameter 1.325" (33.7mm)
Weight 2.6 oz. (74 g)

Shipping wt. 11 oz. Recommended Engines

A8-3 B4-4 B6-4(First Flight)

C6-5

(Semi-Scale)

SATURN V

Skill Level 3
Though not fully detailed this model of the Saturn V is an amazingly good representation of our nation's largest launch vehicle that put the first man on the moon. Scaled 1 to 242 it is a practical size to build. Comes with pre-printed wrapon decor, clear plastic fins, quick-release engine mount and 12" parachute recovery.



AEROBEE 300

Skill Level 3

Another great kit for your first or second scale model. Originally developed in 1947, the Aerobee performed heavy duty upper-atmosphere research during the International Geophysical Year 1957 - 58. The real rocket has recorded peak altitudes of 260 miles above the earth. Our smaller version features authentic scale decals, balsad etailing and 12" 'chute. 1/15th Scale.

Specifications
Length 20" (50.8cm)
Diameter 0.976" (24.8cm)
Weight 0.9 oz. (26 g)
Shipping wt. 14 oz.

Recommended Engines 1/2A6-2 A8-3 (First Flight) B6-4 C6-5

Cat. No. 1217 \$3.50

1/24th Scale

LTV Scout

Skill Level 3

The Scout is a four-stage, solidpropellant launch vehicle used for a variety of space missions including orbital, probe and re-entry by the United States and an impressive list of European nations. Since its first mission in 1960, Scout has been the launch vehicle for more than 90 missions, holding the record for consecutive successes among all NASA launch vehicles. We have chosen to scale the Italia version, known for its Uhura satellite which discovered the existance of "black holes" in space. This model is extremely detailed with many plastic parts and realistically decored with 2-color decals. Other features include molded plastic fins and adapter sections, quick-release engine mount and big 18" parachute re-

Specifications Length 36.09"

(91.67cm)

Diameter 1.637" (41.58mm)

Weight 3.85 oz. (109 g)

Shipping wt. 11 oz.
Recommended Engines

C6-5 Cat. No. 1287

\$6.00

OVER 3 FEET TALLI

BOMARC

Skill Level 3

Beautifully detailed, 1/24th scale flying model, of the famous U.S.A.F. surface-to-air interceptor missile. Our scale replica features authentic four-color decals, die-cut balsa fins, plastic nose cone and quick-release engine mount. Great performance too with dramatic 18" parachute recovery.

Specifications

Length 23" (58.4cm)
Diameter 1.325" (33.6mm)
Span 9" (22.9cm)
Weight 3.5 oz. (99 g)

Shipping wt. 12 oz. Recommended Engines

Engines, Launch System, and Glue not included.



apoaee II

B14-7

Ultimate in 2-stage performance and reliability. See-through payload section lets you observe specimens without removing them from the rocket. 10" preassembled parachute and tumbling re-entry booster. Includes Tech Report on Multi-Staging. Pat. No. 3,292,302.

Specifications

Length 14.7" (37.5cm) Diameter 0.736" (18.7mm) Weight 0.6 oz. (17 g) Shipping wt. 6 oz. **Recommended Engines**

UPPER STAGE 1/2A6-4 (First Flight) A8-5 B4-6 B6-6

C6-7 BOOSTER

1/2A6-0 (First Flight) A8-0 B6-0 B14-0 C6-0

Cat. No. 1205 \$3.50

Farside

B6-0

Skill Level 3

ASTRON PARSIDE

Sophisticated 3-stage ultra-high altitude probe. Flies to well over 2,500 feet. Top stage cargo compartment makes it an excellent payload vehicle. Booster stages tumble back to earth while upper stage returns via 12" bright orange and white 'chute. Includes Tech Report on staging. Pat. No. 3,292,302

Specifications

21.5" (54.6cm) 0.976" (24.8mm) Length Diameter Weight 2.0 oz. (57 a) Shipping wt. 6 oz.

Recommended Engines FIRST STAGE

1/2A6-0 A8-0 B14-0 (First Flight) SECOND STAGE

1/2A6-0 (First Flight) A8-0 B14-0 C6-0 TOP STAGE

> 1/2A6-4 (First Flight) B4-6 B6-6 B14-7 C6-7

Cat. No. 1212. . \$5.00

SCISSOR-WING

This exciting bird introduces the revolutionary new Scissor-Wing concept. Features super SST styling and high flight reliability Capable of glide times of more than 60 seconds. Internal ejection power pod features vertical stabilizer fins. Comes ready-to-assemble with die-cut parts and two-color decals.

Specifications

22.75" (57.7cm) Length 0.976" (2.48cm) Body Dia. 16" (40.6cm) Wing Span 2.5 oz. (71 g) Weight w/pod 1.8 oz. (51 g) Weight w/o pod Shipping wt. 16 oz.

Recommended Engines

C6-3 B4-2 (First Flight) B6-2 \$6.00 40 Cat. No. 1265



SKILL LEVEL 4 Orbital Transport

Skill Level 4

Only a gleam in the eye of NASA, but it's flying for Estes rocketeers right now! Astonishingly realistic recovery system where engine booster system returns to Earth via huge 18" multi-colored parachute, and interplanetary vehicle glides home. Long and sleek, developed for both orbital and near-space missions, rocket with transport vehicle piggy-backed go straight up, then separate at apogee for spectacular dual recovery. Includes realistic 3-color decals.

TRANSPORT SHIP

Length 23" (58.4cm)
Diameter 0.976" (24.8mm)
Wing Span 7.9" (20cm)
Weight 2 oz. (57 g)

RE-ENTRY VEHICLE

Length 8.6" (21.8cm)
Diameter 0.736" (18.7mm)
Wing Span 5" (12.7cm)
Weight 0.5 oz. (14 g)

Shipping wt. 16 oz.

Recommended Engines

B6-2 B6-4 (First Flight)

C6-5 Cat. No. 1242 **\$6.00**



HONEST JOHN

Skill Level 4

Highly detailed version of U. S. Army's surface-to-surface ballistic missile. Many small parts and authentic decals for a really good looking 1/24th scale model. Gives an excellent challenge to the experienced rocketeer. Dramatic flights with 12' parachute recovery.

Specifications

Length 13.75" (35cm) Weight 1.2 oz. (34 g)
Diameter 0.976" (24.8mm) Shipping wt. 7 oz.

Recommended Engines

1/2A6-2 A8-3 (First Flight) B4-4 B6-4 C6-5

123EF-MS45

MARS SNOOPER II

Skill Level 4

Looks like a real space ship. Futuristic decor, advanced styling, and simulated touchdown pads gives it a real science-fiction appearance. Eye-catching flights with big 18" parachute recovery. Includes die-cut parts, kit decals, and quick-release engine mount.

Specifications

Length Diameter Weight

22.3" (56.5cm) 0.976" (24.8mm) 2.3 oz. (66 g) Shipping wt. 8 oz. **Recommended Engines**

A8-3 (First flight)

\$5.50

STAR TREK FLYING MODEL ROCKETS

INGON BATTLE CRUISER

Skill Level 4

Accurately detailed, our flying scale cruiser has been modified to permit atmospheric operations. Kit includes ac-

curately detailed molded plastic and die-cut parts, Klingon warship insignia, quick release engine mount and colorful orange and white canopy 'chute.

Specifications

Length 15.1" (38.4cm) Wing Span 8.9" (22.6cm) Weight 2.5 oz. (70 g) Shipping wt. 12 oz. **Recommended Engines** B4-2 (First flight) B6-4

C6-5

Cat. No. 1274 \$7.00

STARSHIP **ENTERPRISE**

Skill Level 4 Scaled from official STAR TREK drawings, our model starship has been modified for operations within planetary atmospheres. A parachute recovery probe attaches quickly for flight and removes easily for display. Other kit features include highly detailed molded plastic and die-cut parts, authentic decals, quick-release engine mount and 18" recovery parachute.

© 1975 Paramount Pictures Corporation

Engines, Launch System, and Glue not included.

Specifications

Display Length 16.8" (42.6cm) Recovery Probe Length 25.9" (65.8cm) Primary Hull Dia. 7.5" (19cm) Weight 3.8 oz. (110 g)

Shipping wt. 16 oz. **Recommended Engines**

B6-2 (First flight) Cat. No. 1275 . . .

\$8.00

SKILL LEVEL 5



nars lan

Skill Level 5

Displays futuristic concept for a planetary exploration and landing vehicle. Spring-loaded landing gear simulates realistic upright touch-down. Big 18' bright orange and white canopy 'chute makes for a really great recovery sequence. Includes highly detailed body panels, colorful scale-like decals, and quick-release engine mount.

Specifications

12" (30.5cm) Height Landing Gear Span 13.2" (33.5cm)

3.8" (96.5mm) 3.0 oz. (85 g) Diameter Weight Shipping wt. 16 oz.

Recommended Engines

B4-2 (First Flight) B6-2 C6-3

MERCURY REDSTONE

Famous NASA vehicle which boosted Commander Alan Shepard on America's first manned space flight, Beautifully scaled to 1/42nd actual size our Mercury Redstone features intricately detailed fin assemblies and escape tower. Launchings simulate real space missions as Mercury capsule returns via bright orange and white 12" canopy 'chute and rocket desends on larger 18" parachute. Kit includes scale decals and quick-release engine mount.

Specifications

23.5" (59.7cm) Length 1.637" (41.6mm) Diameter Weight 2.1 oz. (60 g) Shipping wt. 12 oz.

Recommended Engines

A8-3 B6-4 (First Flight) C6-5 \$5.50 Cat. No. 1241 44

Engines, Launch System, and Glue not included.

-NASA Photo

STAR WARS

Exact Size Used
by TAR WARS
Special Effects
Team

AVAILABLE April 15, 1978

Skill Level 2 Darth Vader and his Imperial Forces will turn and run when confronted by this huge scale replica of science fiction's most popular spacecraft. This giant T-65 X-WING Fighter is easy to assemble with fantastic detailing and authentic "Death Star" mission decor. By far the most dramatic "STAR WARS" model available for display. "D" engine powered for great performance too! Spectacular flights over 300 feet. Kit components include die-cut balsa parts and highly detailed plastic

Specifications

recommended for lift-off.

Length 21 5/8" (54.9 cm) Wing Span 16 1/4" (41.3 cm) Diameter 3 5/16" (83 cm) Weight 11 oz. (312 g) Shipping Wt. 2 lbs. Recommender Engine D12-3

fuselage, engines and laser pods. Plus quick-release engine mount, scale decals, big 24" parachute recover and attractive display stand. A 3/16" launch rod is



Over 16"
Wingspan
And Nearly
22" Long

Cat. No. 1302

Only \$17.95

(I-BRUTE)

Flying Rockets Over 3-Feet Tall MEXI-BRUTES!

Alpha SKILL LEVEL 2

Giant scale version of our most popular rocket, the Alpha. Great for demonstrations with slow realistic lift-off and dramatic 24" parachute recovery. Flights up to 500 feet with "D" engine. Comes with die-cut balsa fins, molded plastic nose cone, quick-release engine mount and huge decals. Assembles in approximately 30 minutes. Recommended for 3/16" launch rod.

Specifications

Length 33.2" (84,33cm) Diameter 2.6" (66,04mm) Weight 6.17 oz. (175 g) Ship. wt. 16 oz.

Recommended Engine

D12-5 Cat. No. 1291

\$8.00

German V-2

Skill Level 3
This giant scale model is a replica of the ground-to-ground ballistic missile developed at Peenemunde before and during World War II. This 1/19th scale Maxi-Brute features "D" engine power, detailed plastic nose cone, dual 24" parachute recovery and pre-shaped fins. Nose cone fits BT-101 tube. Model requires 3/16" launch rod for best lift-off performance. This historic reproduction will be the attention-getter at your launch site, and a handsome display model for your desk or bookshelf. Historical background is also included

with instructions.

Specifications

Length 33.5" (85cm)
Diameter 3.938" (100mm)
Weight 12.5 oz. (354.38 g)
Shipping wt. 2 lbs.

Recommended Engine D12-3 Cat. No. 1267 \$17.95





HONEST JOHN

1/9th scale model of the famous U.S. Army surface-to-surface, supersonic bal listic missile, one of the mainstays of the Army's atomic weapons capability This new, highly detailed model uses a single "D" engine for power and comes with pre-shaped, accurately scaled fins and molded plastic nose cone. Spectacular recovery with giant, dual 24" orange and white canopy 'chutes, Great for demonstrations and perfect as an impressive display model.

mended for best lift-off results. **Specifications** Length 37" (94cm) Diameter 2.6" (66mm) Weight 14 oz. (397 g)

A 3/16" launch rod is recom-

Shipping wt. 2 lbs. Recommended Engine D12-3

Cat. No. 1269 \$17.95

PERSHING-1A

This Maxi-Brute is a true scale model of the U.S. Army's surface-to-surface ballistic missile produced by Martin-Marietta and deployed with NATO units in Europe. Our 1/10 scale model is "D" engine powered with three color decals, preshaped fins,

detailed molded plastic nose cone, and dual 24" parachute recovery. A 3/16" launch rod should be used for best lift-off results. The unusual fin configuration of this model makes it one of the most unique scale

models ever to be offered. Additional historical background data is also included. **Specifications**

Length 41" (104.14cm) Diameter 3.938" (100mm) Weight 11.5 oz. (326.03 g) Shipping wt. 2 lbs.

Recommended Engine D12-3

Cat. No. 1268

\$17.95





MODEL ROCKET ENGINES

Reliability-proven in over 100 Million launchings!

Quality-Tested for High Performance Flights!!


The finest engine made you can depend on it for every flight application!!!

The design and development of the Estes model rocket engine was the real beginning of the safe, educational and exciting hobby that model rocketry has become.

Today's model rocket engine is the result of over 15 years of engineering efforts at Estes Industries. Consequently, today's rocketeer has dependable, safety-proven engines for his use.

The energy-packed, solid propellant Estes model rocket engine is a complete power system for your rocket. It is designed and pre-manufactured to perform all power functions for dependable launch and activation of a recovery system. In one compact package it provides thrust for quick lift-off and acceleration to high altitudes, allows for a timed delay period to reach peak altitude while delivering a smoke trail for easy tracking and supplies ejection power for the parachute or other system for your rocket's safe return to earth.

Reliability-proven in over 100 million launchings. Estes engines are manufactured under controlled conditions within exacting tolerance limits. You can count on them for consistent performance from one launch to the next. You'll launch with confidence in all your model rocketry activities.





PHANTOM

Perfect static demonstration model for workshops and presentations. Shows all internal components of a model rocket plus special cutaway version of C6-5 model rocket engine. Ideal for displays and exhibits.

Hength 12.6" (32.0cm)
Body Dia, 0.976" (24.8mm)
Weight 1.35 oz. (38.3 g)
Shipping wt. 3 oz.

Cat. No. 1207 \$3.25



Cat. No.

1616

Engine

Туре

Prices

3 for

ROCKET ENGINE SELECTION CHART

Max.

Thrust

Thrust

Duration

Initial

Weight

Propellant

Weight

0.440 12.48

G

SINGLE STAGE ENGINES	GREEN LABEL	
1593 1/2A6-2 3 for \$1.50 0.28 1598 A8-3 3 for \$1.60 0.56 1601 B4-2 3 for \$1.70 1.12 1602 B4-4 3 for \$1.70 1.12 1605 B6-2 3 for \$1.70 1.12 1606 B6-4 3 for \$1.70 1.12 1609 B14-5* 3 for \$1.90 1.12 1613 C6-3 3 for \$1.90 2.25 1614 C6-5 3 for \$1.90 2.25	1.25 2 sec. 2.5 oz. 46 oz. 0.20 sec. 0.53 15.0 0.05 2.50 3 sec. 4.0 oz. 48 oz. 0.32 sec. 0.57 16.2 0.11 5.00 2 sec. 4.0 oz. 48 oz. 1.20 sec. 0.70 19.8 0.29 5.00 4 sec. 3.5 oz. 48 oz. 1.20 sec. 0.74 21.0 0.29 5.00 2 sec. 4.5 oz. 48 oz. 0.83 sec. 0.68 19.3 0.22 5.00 4 sec. 4.0 oz. 48 oz. 0.83 sec. 0.78 22.1 0.22 5.00 5 sec. 5.0 oz. 7 lb. 0.35 sec. 0.69 19.6 0.22 10.00 3 sec. 4.0 oz. 48 oz. 1.70 sec. 0.88 24.9 0.44 10.00 5 sec. 4.0 oz. 48 oz. 1.70 sec. 0.91 25.8 0.44	0 3.12 4 8.33 4 8.33 0 6.24 0 6.24 0 6.24 0 12.48
UPPER STAGE ENGINES®	PURPLE OR BLUE LABEL	
1594 1/2A6.4 3 for \$1.50 0.28 1599 A8.5 3 for \$1.60 0.56 1604 B4.6 3 for \$1.70 1.12 1607 B6.6 3 for \$1.70 1.12 1611 B14.7* 3 for \$1.90 1.12 1615 C6.7 3 for \$1.90 2.25	1.25 4 sec. 1.0 oz. 46 oz. 0.20 sec. 0.54 15.3 0.05 2.50 5 sec. 2.0 oz. 48 oz. 0.32 sec. 0.62 17.6 0.11 5.00 6 sec. 1.5 oz. 48 oz. 1.20 sec. 0.78 22.1 0.29 5.00 6 sec. 2.0 oz. 48 oz. 0.83 sec. 0.71 20.1 0.22 5.00 7 sec. 2.5 oz. 7 lb. 0.35 sec. 0.73 20.7 0.22 10.00 7 sec. 2.5 oz. 48 oz. 1.70 sec. 0.95 26.9 0.44	3.12 4 8.33 0 6.24
BOOSTER ENGINES	RED LABEL	
1595 1/2A6-0 3 for \$1.50 0.28 1600 A8-0 3 for \$1.60 0.56 1608 B6-0 3 for \$1.70 1.12 1612 B14-0* 3 for \$1.90 1.12	1.25 none 4.0 oz. 46 oz. 0.18 sec. 0.48 13.6 0.05 2.50 none 4.0 oz. 48 oz. 0.30 sec. 0.51 14.2 0.11 5.00 none 4.0 oz. 48 oz. 0.80 sec. 0.58 16.4 0.22 5.00 none 6.0 oz. 7 lb. 0.35 sec. 0.61 17.3 0.22	3.12 0 6.24

Deiay

Lift

Wt.

Complete instructions and rocket igniters are included with each package of Estes model rocket engines.

C6-0 3 for \$1.90 2.25 10.00

Total Impulse

Ib-sec On-sec 2

*Series II engines have core-burning grain with large propellant burning area for high initial thrust with short thrust duration.

All engines listed on this page are 2.75 in. (6.99cm) long and 0.690 in. (1.75cm) dia.

Shipping weight of each package of engines is approximately 4 oz.

- IMPORTANT - IMPORTANT - IMPORTANT -

none 4.0 oz. 48 oz.

All the rockets shown in this catalog can be flown over and over again. Simply replace the engine, igniter, and recovery wadding for each new flight.



ASTRON IGNITERS: Easy to use for reliable ignition every time. Recommended for launch systems using 6 to 12 volts. Same type as supplied with all packages of Estes engines. Installation procedure featured on engine instructions. (Patent No. 3,363,559). Shipping weight 1 oz. (Not recommended for Solar Launch Controller.)

Cat. No. 2225 6 for \$.60



1.68 sec. 0.80

SOLAR IGNITERS: Add increased reliability at lift-off with Estes "high performance" Solar Igniters. This uprated igniter is designed especially for the Solar Launch Controller (#2300). Features easy engine installation and is suitable for all Estes launch control systems. Unique four-element design makes it the most dependable igniter made. Shipping weight 1 oz.

Cat. No. 2301 6 for \$.60



MINI-ENGINE SELECTION CHART

		Engine		Total Impulse		Lift	Max.		Wei	tial ight	Prope		
	Cat. No.	Туре	4 for	Ib-sec(1)n-sec(2)	(+15%)	Wt.	Thrust	Duration	Oz.	G	Oz.	G	
v	0111011		ENIO	NEO									

SINGLE STAGE ENGINES

1503 1506	1/2 A3-2T A3-2T	4 for \$1.60 0.14 4 for \$1.70 0.28 4 for \$1.80 0.56	1.25 2.50	2 sec. 2 sec.	2 oz. 28 oz. 3 oz. 28 oz.	0.36 sec. 0.19 0.86 sec. 0.25	8 5.6 4 7.2	0.062 0.124	1.75 3.50
1507	A3-4T	4 for \$1.80 0.56	2.50	4 sec.	2 oz. 28 oz.	0.86 sec. 0.26	8 7.6	0.124	3.50
1511	A10-3T	4 for \$1.80 0.56	2.50	3 sec.	5 oz. 48 oz.	0.26 sec. 0.27	7 7.9	0.133	3.78

UPPER STAGE ENGINES®

1501	1/4 A3-4T	4 for \$1.60 0.14	0.625	4 sec.	1 oz.	23 oz.	0.18 sec.	0.187	5.3	0.031	0.88
1504	1/2 A3-4T	4 for \$1.70 0.28	1.25	4 sec.	1 oz.	28 oz.	0.36 sec.	0.212	6.0	0.062	1.75
1508	A3-6T	4 for \$1.80 0.56	2.50	6 sec.	1 oz.	28 oz.	0.86 sec.	0.282	8.0	0.124	3.50

BOOSTER ENGINES

1505	1/2 A3-0T	4 for \$1.70 0.28	1.25	none	3 oz.	28 oz.	0.36 sec.	0.166	4.7	0.062	1.75
1509	A3-0T	4 for \$1.80 0.56	2.50	none	3 oz.	28 oz.	0.86 sec.	0.226	6.4	0.124	3.50
1510	A10-0T	4 for \$1.80 0.56	2.50	none	5 oz.	48 oz.	0.26 sec.	0.235	6.7	0.133	3.70

Mini-Engines are 1.75 in. (4.45cm) long and .500 in. (1.27cm) dia. Shipping weight of each package of mini-engines is approximately 2-1/2 oz.



MIGHTY "D" ENGINES

Recommended Only for Experienced Rocketeers!

With the advancement of model rocketry to bigger birds, larger payloads, and higher altitude demands, Estes Industries has developed the "D" engine (Series IV). The Estes "D" provides twice the power of the largest Series I engine. It's the first dependable "D" engine to provide the consistent high-thrust and total impulse levels necessary for peak performance in its class.

				Time					tial	Prope	
	Engine	Prices	Total Impulse	Delay	Lift	Max.	Thrust	Wei		Wei	ight
Cat. No.	Туре	3 for	Ib-sec@n-sec@	(+15%)	Wt.	Thrust	Duration	Oz.	G	Oz.	G

SINGLE STAGE ENGINES

1666	D12-3 3 for \$3.25 4.48	20.0	3 sec.	14 oz.	9 lb.	1.50 sec.	1.49	42.2	0.879	24.93
1667	D12-5 3 for \$3.25 4.48	20.0	5 sec.	10 oz.	9 lb.	1.50 sec.	1.52	43.1	0.879	24.93

UPPER STAGE ENGINES®

1668	D12-7 3 f	for \$3.25 4.48	20.0	7 sec.	8 07	916	1 50 sec	1 55	44 0	0.879	24 93

BOOSTER ENGINES

1665 D12-0 3 for \$3.25 4.48 20.0 none 14 oz. 9 lb. 1.48 sec. 1.44 40.9 0.879 24.93

RECOVERY WADDING: Pro-

vides protection from hot ejection gases for parachutes and streamers. Each package contains approximately 75—4-1/2" squares-enough wadding for up to 25 flights. Instructions for installation are included in each package. Shipping weight 6 oz.

Cat. No. 2274 \$.75

Complete instructions and rocket igniters are included with each package of Estes model rocket engines.

"D" engines are 2.75 in. (6.99cm) long and 0.945 in. (2.40cm) dia.

Shipping weight of each package of "D" engines is approximately 6-1/2 oz.

NOTES:

- 1 Pound seconds (Figures shown are maximum.)
- 2 Newton seconds (Figures shown are maximum.)
- ③ Or Single Stage Engine if used in very light rocket.




and 18 feet of launch cable. Shipping weight 12 oz. \$6.00 Cat. No. 2212





SOLAR LAUNCH CONTROLLER

MODEL ROCKETRY'S MOST ADVANCED LAUNCH SYSTEM



6.13" (15.57cm) Length 2.38" (6.05cm) Height oth 1.44" (3.66cm) Weight (with batteries) Width oz. (199 g) Shipping weight 8 oz. 7 oz.

Cat. No. 2300 \$6.00

PORTA-PAD

PLASTIC LAUNCH PAD

Space-age designed, the Porta-Pad is rugged enough to take the stress of countless launchings, even with the big Estes "D" engines, yet is lightweight and compact enough for easy carrying and storage. Strong, girder construction. Orange plastic legs snap off for storage in range box. Friction grip secures rod firmly (accommodates standard 1/8' rod (#2235) or heavy-duty 3/16" Maxi-rod (#2239). Tilt adjustment allows you to compensate for wind.

For extra versatility, Porta-pad can be adapted for rail launchings with Estes "C" Rail (#2250). Shipping weight is 1 lb. 8oz.

TILT-A-PAD

WOODEN LAUNCH PAD

This flexible launcher gives you ideal launch control and convenience, Hardwood construction for durability. Adjusts to fit uneven ground. Tilts to compensate for wind direction and speed. Legs fold down for compact storage. Comes in easy to assemble kit form with complete instructions.

Shipping weight 2 lb.

\$6.00

The Solar Launch Controller (#2300) or the Astron Launch Control System (#2212) are the recommended launch systems for use with the Tilt-A-Pad or Porta-Pad.

Rockets Not Included

CIES LAUNCH SUPPLIES



1/8" DIA. TWO-PIECE LAUNCH ROD: Handy collapsible two-piece rod for portable launchers. Pieces slip together to make a 36" long rod. Base rod has a diameter of 1/8". Shipping weight 6 oz. Cat. No. 2234 \$.80



ADD-ON ROD: Sturdy 1/8" diameter, 18" long launch rod section expands twopiece rod to 53" length. Ship. wt. 6 oz. Cat. No. 2236 .45 per section



DIA. MAXI-ROD: 3/16" Perfect for launching Maxi-Brutes (German V-2, Pershing 1-A, Honest John and "new" Maxi-Alpha). Fits Porta-Pad Tripod (#2217). Two-piece construction. 36" long, lightweight aluminum launch rod. Collapsible for easy storage.

Ship. wt. 12 oz. Cat. No. 2239 \$1.75



LAUNCH RAILS: Rigid aluminum 'C' rails offer countless possibilities for launcher designs.

'C' RAIL: 3/8" square (outside). Comes in 18" long sections. Durable aluminum for long life and rust-free service. Use at least 2 sections connected with a joiner (see below). Ship wt. 6 oz. Cat. No. 38095 2 for \$2.00

RAIL JOINER: Spring clip 2" long by 1/4" wide, fits inside rail ends, holds two rail sections securely together. Ship wt. 2 oz. Cat. No. 2252 . \$.65 each



DEFLECTOR PLATE: Slipon metal deflector plate fits any launcher using 1/8" rod, protects launcher base from rocket blast. Four-inch diameter. Shipping weight 5 oz. Cat. No. 2241 \$.95



DELUXE BLAST DEFLECTOR: Durable pressed steel plate deflects engine blast outward away from launcher.

Ship. wt. 5 oz.

Cat. No. 2240 \$.90



SWIVEL ASSEMBLY: Provides 360° rotation and full tilt adjustment, yet locks in selected position. Handles 1/8" rod, 3/16" rod, and Crail. Ship. wt. 3/4 oz. Cat. No. 2219 \$2.00



MICRO-CLIPS: Equip your launcher with the best. Spring-loaded solid steel clips connect lead wires to igniters. Easy-to-clean and highly conductive with flat contact surfaces. Only 1.1 inches long. attach to leads with or without solder.

Shipping weight 1 oz. Cat. No. 2247 2 for \$.60



BATTERY CLIPS: Hook-up to car batteries. Heavy-duty clips connect to terminals up to 1" in dia. With insulators. Ship. wt. 5 oz. Cat. No. 2245 2 for \$1.35



NICHROME WIRE: Model rocket ignition wire. No. 30 recommended for use with car batteries, No. 32 for use with other power supplies. No. 30, 15-Foot Roll: Cat. No. 2228 \$ No. 32, 15-Foot Roll:

Cat. No. 2229 \$.95



UNIVERSAL SAFETY KEY: Replacement safety interlock key for all Estes Launch Control Systems except Ready-To-Fly kits #0701 and #0715. Cat. No. 38101 \$.25



ASSEMBLING FIXTURE:

- · Position and Glue Fins Quickly and Easily
- Fits Body Tubes up to BT-70
- Designed for either 3 or 4 finned rockets
- Aligns fins at 90° or 120° to each other
- Heavy duty metal construction
- Completely adjustable Cat. No. 2713 ONLY \$7.95



TRACKING EQUIPMENT

PREDICTED ALTITUDE COMPUTER The Estes Pocket

Size Altitude Computer enables any rocketeer to predict his model rocket's altitude in a matter of seconds. Just move the center slide in a simple procedure for fast, accurate results. Three color calculator comes complete with instructions. Ship. wt. 3 oz. Cat. No. 9015



your rocket went with this Altiscope! Comes in kit form complete with instructions, trig tables, technical report TR-3 on altitude tracking and 2-D altitude computer. Patent No. 3,208,147. Ship. wt. 20 oz.

Cat. No. 1415 \$6.95







RECOVERY SUPPLIES



PARACHUTE KITS: Get the best in parachute recovery! Two-color printed plastic 'chutes give maximum visibility — feature easy-to-see pattern. Lightweight, durable, and easily folded. These 'chutes are only 0.0075" thick, allowing the most material to be packed into the least body space. Each kit comes complete with 'chute material, tape strips, and shroud lines. Shipping weight 2 oz.

	Cat. No.	Description	Parachute Diameter	Net Weight	Price Each
l	2261	PK-8	8 inches	.035 oz.	\$.60
	2264	PK-12	12 inches	.078 oz.	\$.65
I	2267	PK-18	18 inches	.144 oz.	\$.70
	2271	PK-24	24 inches	.298 oz.	\$1.00



LAUNCH ROD SAFETY CAP with UNIVERSAL SAFETY KEY

for Launch Pad Safety! Ship wt. 4 oz.

Cat. No. 2205 Only 50¢

55

ESTES) RECOVERY SUPPLIES



SHOCK CORD: Specify width when ordering. Shipping weight 1 oz. 1/8" wide: Net wt. 0.039 oz. Cat. No. 2276 \$.30 1/4" wide: Net wt. 0.078 oz., Cat. No. 2277 \$.35

Also 36" long for greater stretch on those larger birds. 1/8" wide: Net wt. 0.078 oz., Cat. No. 85744 \$.30



SCREW EYES: Specify size when ordering. Shipping weight for 6 eyes, 1 oz. LARGE EYE: 1" long; .04 oz.

Cat. No. 2280 . . 6 for \$.55 SMALL EYE:

3/4" long; .03 oz. Cat. No. 2283 . . 6 for \$.55 EXTRA SMALL EYE:

5/8" long; .01 oz. Cat. No. 2281 . . 6 for \$.55



STREAMER MATERIAL:

Bright orange, flame-resistant crepe paper streamers. In 71/2-foot lengths, enough for two to eight streamers. Specify size when ordering. Shipping weight 1 oz.

1" wide - Net wt. .092 oz. Cat. No. 2341 6 for \$1.35 2" wide - Net wt. .184 oz. Cat. No. 2343 6 for \$1.35



TAPE DISCS: Fasten shroud lines to plastic parachutes or streamers with these 3/4" pressure sensitive Tape Discs. In sheets of 6 discs. Shipping weight 1 oz. Cat. No. 2294

4 sheets of 6 for \$.70



SHROUD LINES: Build reliable, durable, custom parachutes with this strong, hard surface shroud line cord.

Comes in 70 yard spools. Shipping weight 5 oz. Cat. No. 2340 \$.75




TAPE STRIPS: strength, low bulk and low weight, fasten shroud lines with these 1/4" x 3/4" tape strips, in sheets of 12 strips. Shipping weight 1 oz.

Cat. No. 38412 6 sheets of 12 for \$



SNAP SWIVELS: For quick changes and reduced tangling in your recovery systems, use these tiny 1" long snap swivels. Net weight .01 oz. Shipping weight for 12 swivels, 1

Cat. No. 2292 . 12 for \$1.10



TES TECHNICAL REPORTS SPECIAL PUBLICATIONS

> ALTITUDE TRACKING - TR-3 Cat. No. 84723 \$.35 MODEL ROCKETRY STUDY GUIDE - TR-8 Cat. No. 84728 \$.85 **ALTITUDE PREDICTION** CHARTS - TR-10 Cat. No. 84730 \$1.25 AERODYNAMIC DRAG OF **MODEL ROCKETS - TR-11** Cat. No. 84731 \$1.25 THE ALPHA BOOK OF MODEL ROCKETRY Cat. No. 2820 \$.60 PROJECTS IN MODEL

SYSTEMS Cat. No. 2811 \$.35 SPACE AGE TECHNOLOGY Cat. No. 2813 \$1.25 A "Teacher's" Manual (Cat. No. 2823) is available to educators for \$1.25 ESTES MODEL ROCKET CONTEST GUIDE Cat. No. 2815 \$.60 AEROSPACE EDUCATION AND MODEL ROCKETRY Cat. No. 2816 \$1.25 (Single copies free to educators requesting it on school stationery.) **ESTES GUIDE FOR** AEROSPACE CLUBS

Cat. No. 2817 \$.60

MODEL ROCKET LAUNCH



Ideal parts assortment for the creative rocketeer. Develop your own R & D Program. Over 75 pieces at an excellent savings!

Body Tubes BT-5

BT-20 BT-50 BT-55

BT-60

Nose Cones

BNC-5E BNC-5S BNC-20B BNC-20R

PNC-50K PNC-50Y PNC-55AC PNC-60L

Fin Material

BFS-20 BFS-30 BFS-40

Parachutes

PK-8

PK-12 **PK-18**

PK-24

Recovery Equipment

Shock Cord 1/8"X18" Shock Cord 1/8"X36"

Shock Cord 1/4"X36" Streamer Material 1"X30" Screw Eyes

Miscellaneous

Engine Blocks (EB-20A) Engine Holders (EH-3)

Engine Holders (EH-2) Engine Mount (EH-2050) Engine Mount (EH-2060)

Nose Block (NB-20) Nose Block (NB-50)

Stage Coupler (JT-55C) Stage Coupler (JT-60C) Balsa Adapter

(TA-2050A) Multi-Purpose Paper

Adapter Set (TA-1) 12 Launch Lugs (2-3/8" Long)

Alpha Book of Model Rocketry

Fin Pattern Sheet No. 2 Fin Pattern Sheet No. 3

Perfect for your monster size designs. Made of lightweight plastic and fits BT-101

body tubes.

Cat. No. 71050

Length 12.5" (30.6cm) 3.6 oz. (102 g) Weight Ship wt. 12 oz.

Only \$2.50

Cat. No. 1463 Only \$14.95



Greate your own award

inning design ... YOUR DESIGN COULD

WIN YOU A \$75 MERCHANDISE CERTIFICATE

Have an idea for an original design? Enter our Design of the Month competition today. Your design could be published in an issue of Model Rocket News, plus win you \$75.00 in Free merchandise from this catalog. Simply follow the rules below. Keep those entries coming, and maybe you'll be our next winner!!


DESIGN OF THE MONTH RULES

- 1. All entries become the property of Estes Industries and cannot be returned.
- 2. Employees of Estes Industries and members of their immediate families are not eligible.
- 3. Any type of model rocketry design can be entered (rockets, boost-gliders, launching or recovery devices, etc.).
- Designs should be new, original, and different, but they also need to be workable. The goal is to develop something new that other rocket eers can build and use successfully, too.
- Entries will be judged on practicality, originality, neatness, completeness, and clarity. Plans do not have to be flight tested and proven. However, a proven design is more apt to win.
- Your design entry should include a parts list and any instructions or diagrams you feel would be helpful.
- Please do not send the actual model as it cannot be returned.
- Photos of entries are greatly appreciated, but are not required.
- You may send as many entries as you like.
- 10. New contest every month.
- All designs reaching Estes Industries during the calendar month will be entered in that month's competition. (Date of receipt, not postmark, will determine the month in which a design will be entered.)
- If two or more exceptional entries are received during any month, the judges may, at their discretion, make identical first-place awards or give additional honorable mentions.
- Designs should be sent to the Design of the Month Editor, Estes Industries, Inc., Penrose, Colorado 81240. However, all plans sent to us which are not specifically addressed to another contest or department will be automatically placed in the Design of the Month Competition.
- Each month the designer of the winning entry will receive a certificate entitling him to \$75.00 in merchandise and an award certificate suitable for framing. Award winners will be notified by mail.



ENTER THE DESIGN OF THE MONTH CONTEST

Build Your Own Design With Estes Quality Model Rocket Parts



Once you have constructed several model rocket kits and have become familiar with the basic Estes Technical Reports you will no doubt have a variety of ideas for unique designs of your own. In order to select the proper parts for your original design it is important for you to understand our system of parts description numbers.

Nearly all matching Estes parts have the same series description number. Those which do not feature an additional explanation as to where they can be used. Normally, parts listing the same series description number will be interchangeable with each other. For instance, a #20 body tube (BT-20) would mate with a #20A balsa nose cone (BNC-20A), a #20C payload section (PS-20C), or a #20B engine block (EB-20B). Further, a #2060 tube adapter (TA-2060) will adapt a BT-20 to a BT-60, and a #5055 centering ring (AR-5055) will center a BT-50 within a BT-55. By using balsa or paper adapters almost any combination of parts can be joined together. For ordering, be sure to use both the catalog number and the series description number (name).

CONSTRUCTION SUPPLIES

MAXI-ROD LAUNCH LUG: 2" long fits 3/16" dia. rod. Cat. No. 2328 4 for \$.55

LAUNCH LUGS: Superstrength laminated launch lugs feature mylar plastic core for durability, paper outer layer for easy gluing. Inside diameter 5/32", fit 1/8" rod. Ship wt. 1 oz. 1-1/4" long:

Cat. No. 2321 12 for \$.75 2-3/8" long:

Cat. No. 2322 10 for \$.80

DOWELS: Extra strong, lightweight, seasoned maple dowels. Ship. wt. 5 oz. 1/8"x18'

Cat. No. 32056 8 for \$.55

Cat. No. 32058 8 for \$.55

COMPETITION PAYLOAD: How high can your rocket lift an ounce of lead? This 1 oz. payload weight, 3/4" in diameter, is certified for NAR competition. Ship wt. 2 oz. Cat. No. 38292 2 for \$1,10 ENGINE HOLDER: Flat spring steel design gives easy installation and low drag. Recommended for sport and demonstration models built from BT-5, BT-20 and BT-30. For Regular and "D" Engines. Ship wt. 1 oz.

Cat. No. 3140 3 for \$.90 For Mini-Engines.

Ship wt. 1 oz.

Cat. No. 3143 3 for \$.70

NOSE BLOCKS



Use these top quality featherweight balsa nose blocks in payload sections and anywhere else a solid bulkhead is required. Precision turned for exact fit in body tubes.

Cat. No.	Description	Price Each	Outside Diameter	Length	Fits	Weight Net.	in Oz. Ship.
70152 70158 70162 70164	NB-20 NB-50 NB-55 NB-60	\$.55 \$.65 \$.65 \$.80	.950" 1.283"	3/4" 1" 1-1/4" 1-1/2"	BT-20 BT-50 BT-55 BT-60	.014 .040 .115 .190	1 4 4 4



ENGINE BLOCKS



Used for positioning the engine in the rocket. Provides a hollow bulkhead for the engine to develop thrust against, as well as an opening for gases to pass for normal ejection.


Cat. No.	Description	Price 3 for	Outside Dia.	Inside Dia.	Length	Fits	Weight in O Net. Sh	
3131	EB-20A	3/\$.45	.708"	.65"	1/4"	BT-20	.009	1

ENGINE MOUNTS

Engine Type	Cat. No.	Description	Price	Fits	Net Weight Oz.	Shipping Weight Oz.
For Series I & II Engines – A, B, & C type 0.69" × 2.75"	3150 3151 3152	EH-2050 EH-2055 EH-2060	\$.70 \$.70 \$.70	BT-50 BT-55 BT-60	0.1 0.14 0.17	5 5 5
For Series IV Engines-D type 0.945" x 2.75"	3155	EM-5063	\$.90	Saturn V	0.4	5
For T Series Mini- Engines .5" x1.75"	3153	EM-520	\$.65	BT-20	0.09	5
Special Purpose Quick-Change Conversion Mount —From Series IV Engines to Series I & II Engines	3154	EM-2050	\$.75	BT-50	0.19	5



CENTERING RINGS



AR-2050 CENTERING RINGS

AR-5055 CENTERING RINGS

To center a BT-50 tube in a BT-55 body tube. Extra strong for "D" engine mounts. Weight 0.062 oz. each. Shipping weight 2 oz.


Cat. No. 3102 4 for \$.65

BALSA ADAPTERS



Adapters give flexibility for rocket design. Switch from one size body tube to another for payload capsules, parachute compartments, propulsion sections, etc. Adapters fitting BT-20 can be built-up with masking tape to fit BT-30. Any adapter can be hollowed to make a passage for ejection gases. All adapters have at least 1/2" mating surface on each end.

Cat. No.	Description	Price Each	Mates Tubes	Length	Taper Length	Weigh Net.	t Oz. Ship.
8031 8032 8041 8033 8034 8035 8036 8038 8039	TA-520 TA-550 TA-2050A TA-2055 TA-2060 TA-5055 TA-5060 TA-5560 TA-6070	\$.60 \$.65 \$.50 \$.75 \$1.40 \$.90 \$1.70 \$.95 \$1.60	BT-5 to BT-20 BT-5 to BT-50 BT-20 to BT-50 BT-20 to BT-55 BT-20 to BT-60 BT-50 to BT-60 BT-55 to BT-60 BT-60 to BT-70	1.75" 2.2" 2.0" 2.5" 3.0" 2.0" 3.0" 2.2" 2.7"	0.75" 1.0" 1.0" 1.5" 2.0" 1.0" 2.0" 1.0" 1.5"	0.04 0.06 0.11 0.22 0.20 0.60 0.23 0.25 0.65	1 4 4 4 4 4 4



STAGE COUPLERS



For multi-staging, joining body tubes, positioning adapter rings, etc. Make perfect guides for cutting body tubes and sanding cut edges of body tubes, too. Shipping weight for all is 3 oz. each.

Cat. No.	Description	Price Each	Outside Diameter	Inside Diameter	Length Fits	Average Weight
3050 3051 3052 3053 3054 3055	JT-5C JT-20C JT-50C JT-55C JT-60C JT-70A	\$.35 \$.35 \$.40 \$.40 \$.60	.513" .708" .949" 1.28" 1.59" 2.175"	.455" .650" .920" 1.25" 1.55" 2.115"	3/4" BT-5 3/4" BT-20 1" BT-50 1.3" BT-55 1-1/2" BT-60 1-1/4" BT-70	.020 oz. .027 oz. .051 oz. .088 oz. .124 oz. .140 oz.

PAPER ADAPTERS



RA-2055 RINGS — 10 rings for centering and mounting BT-20 in BT-55. Shipping weight 2 oz.



BODY TUBES

	P
1	
1	

Cat. No.	Description	Price Each	Length	Inside Diameter		Wall Thickness	Weight in Net.	
			r nose sections				-	
3070	BT-5	\$.60	18"	0.515''	0.541	0.013''	.219	11
Spiral-V	Vound Paper	Tube, fo	r competition	and sport	models			
3072	BT-20	\$.60	18"	0.710"	0.736"	0.013''	.288	11
Spiral-V	Vound Paper	Tube, fo	r sport and hig	h perform	ance payl	oad model	s	
3073			18"				.378	11
Spiral-V	Vound Paper	Tube fo	r sport and de	monstratio	on models			
3074	BT-55				1.325"	0.021"	.672	11
Spiral-V	Vound Paper	Tube, fo	r sport and de	monstratio	on models			
3075	BT-60	\$1.00		1.595"		0.021"	.960	11
Spiral-V	Vound Paper	Tube, fo	r monster mo	dels and ta	il rings			
3076	BT-70			2.175"		0.021"	1.300	14
Spiral-V	Vound Paper	Tube, fo	r giant-scale m	nodels				
30438	BT-101			3.896"	3.938''	0.021"	1.974	16

ROCKETEER T-SHIRTS

Be the first in your area to wear one.

Both exciting designs are silk-screened on premium quality, 100% white cotton, polo style, domestic T-shirts. Completely washable! Available in Boy's Sizes 10 - 12 and 14 - 16 and in Men's Sizes small (34 - 36), medium (38 - 40), and large (42 - 44). Be sure to specify size in Product Description on Order Form. Ship wt. 8 oz.



SPACE SHUTTLE T-SHIRT Dramatic Space Shuttle blast-off reproduced in seven blazing

colors (Orange, Lime Green, Yellow, Red, Green, Blue, and Black).

Cat. No. 2956 Only \$4.95

MODEL ROCKETRY T-SHIRT


Far-out mod design identifies you as an active model rocketry enthusiast. Printed in seven fantastic colors (Orange, Lime Green, Magenta, Yellow, Red, Blue, and Black). Cat. No. 2950 Only \$4.95



ESTES NOSE CONES

Nose cone dimensions listed in columns 1, 2, and 3.

In "Description" column BNC stands for balsa nose cone and PNC for plastic nose cone.



Shape	No.	Cat. No.	Description	Price Each	1 Di	imensions 2	3	Average Weight	Ship. Weight
BT-5	1 2 3 4	8002 8000 8001 8003	BNC-5V BNC-5E BNC-5S BNC-5W	\$.55 \$.55 \$.55 \$.70	3/4" 1-3/8" 1-1/2" 2-7/8"	0.541" 0.541" 0.541" 0.541"	1/4" 1/4" 1/4" 1/4"	0.013 oz. 0.020 oz. 0.016 oz. 0.039 oz.	1 oz. 1 oz. 1 oz. 2 oz.
BT-20 7 8 5 6 6 7 1	5 6 7 8	8004 8005 8007 8006	BNC-20A BNC-20B BNC-20R BNC-20N	\$.55 \$.60 \$.70 \$.75	13/16" 1-11/16" 2-3/4" 2-3/4"	0.736" 0.736" 0.736" 0.736"	1/4" 5/16" 3/8" 1/2"	0.03 oz. 0.05 oz. 0.07 oz. 0.08 oz.	1 oz. 1 oz. 2 oz. 2 oz.
9 10 11 12 9 10 11 12	9 10 10 11 12 12	8008 8009 71008 8010 8011 71009	BNC-50J BNC-50K PNC-50K BNC-50X BNC-50Y PNC-50Y	\$.70 \$.80 \$.65 \$.95 \$1.10 \$.95	1-3/8" 2-3/4" 2-3/4" 3-1/4" 4-3/8" 4-3/8"	0.976" 0.976" 0.976" 0.976" 0.976" 0.976"	1/2" 1/2" 1/2" 1/2" 3/8" 3/8"	0.08 oz. 0.13 oz. 0.13 oz. 0.15 oz. 0.16 oz. 0.16 oz.	4 oz. 4 oz. 4 oz. 4 oz. 6 oz. 6 oz.
BT-55	13 14 15 16	8012 8014 71070 71075	BNC-55AA BNC-55F PNC-55AC PNC-55AO	\$1.00 \$1.35 \$1.10 \$1.10	3-1/8" 3-7/8" 5-3/8" 5"	1.325" 1.325" 1.325" 1.325"	1/2" 1/2" 3/8" 3/4"	0.15 oz. 0.19 oz. 0.32 oz. 0.43 oz.	4 oz. 4 oz. 6 oz. 4 oz.
BT-60 18	17 18	8020 8021	PNC-60L PNC-60AH	\$1.10 \$2.25	3-1/8" 6-5/8"	1. 6 37" 1.637"	5/8'' 7/8''	0.34 oz. 1.0 oz.	4 oz. 6 oz.
BT-70 19	19	8019	BNC-70AJ	\$2.25	4-1/4"	2.217"	1"	0.85 oz.	6 oz.

FIN STOCK

Top quality balsa sheeting for making fins for model rockets. For maximum strength, grain of wood should follow the leading edge of fin. Read FINS in Vol. 3, No. 3 of the MODEL ROCKET NEWS for more information.



Cat. No.	Description	Price	Dimensions (In Inches)	Weight in Oz. Net. Ship.	Major Use
32102 32106 32108 32110 32116 32118	BFS-20 BFS-20L BFS-30 BFS-30L BFS-40 BFS-40L	3 for \$.65 3 for \$.80 3 for \$.70 3 for \$.85 3 for \$.80 3 for \$.90	1/16x3x12 3/32x3x9 3/32x3x12 1/8x3x9	.130 4 .173 6 .150 4 .200 6 .200 4 .265 6	High Performance High Performance Sport Models Sport Models Cluster Rockets Glider Wings

PRODUCT INDEX

	. HODOO! HEDEN	
A		T-U-V
A 20 Dames V.t		
A-20 Demon Kit		TA's 61
Adapter, Paper	Launen Controllers	Technical Reports
Alien Invader Kit	Cauren nou	Teros Kit
	caunch from darety dap	TIE Fighter Kit
Alpha Kit		Tilt-a-Pad
Alpha III Kit		T-Shirts
The state of the s		Tube Adapters
Alpha, Maxi, Kit		U.S.S. Atlantis Kit
Altitude Computer 5		V-2 Maxi Kit
Altiscope 5		Vigilante Kit
Andromeda Kit		
Antares Kit		W-X
Apogee II Kit 4		
Artoo-Detoo Kit	Maxi Alpha Kit	Wac Corporal Kit 28
Atlantis, U.S.S. Kit	Maxi-Brute Nose Cone 57	Wizard Kit
Avenger Kit	Maxi-Brutes	Wolverine Kit
	Maxi X-Wing Kit	X-Ray Kit
В	Maxi-Rod Launch	X-Wing Kit
BFS's 6	Mean Machine Kit	X-Wing, Maxi Kit
BNC's 6	Mercury Redstone Kit	X-Wing Starter Outfit
PT'-	ARILLE CUITA	X-15 Starter Outfit 9
BT's	Mini Portha Vie	A 10 otalite outilit
Balsa Adapters		
Balsa Fin Stock 6	Manual Min	
Balsa Nose Cones 6		NUMERICAL INDEX
Bandit Kit	N O	MOMENICAL INDEX
Beginners Kits	N-O	
Bertha, Mini Kit	NO.	Item Page Item Page
Beta Kit		
Big Bertha Kit	Nike Ajax Kit	0650
Big Foot Launcher 5		0651
Black Brant III Kit	Nose Blocks	0652
Blast Deflector Plate 5	Nose Cones	065738 127826
Body Tubes	Odyssey Kit	1279 29
Bomarc Kit	Omega Kit	0715 9 128026
Bomarc, Mini Kit 2	Orbital Transport Kit 42	1201
		1707
C		0002
	P	000310 4204
Centering Rings 6		0003
Challenger-1 Starter Kit	Parachutes	0006 20 1203
Cherokee-D Kit	Paper Adapters 61	0907 21 1200
Club, Estes Aerospace 1	Patriot Kit	0015 10 1207
Cobra Kit	Pegasus Kit	0016 24 1288
Condor Kit	Pershing-1A Kit	0010 10 120929
Constellation Kit	Phantom Kit	129025
Construction Supplies	Photon Disruptor Kit	0045 00 1251
Contest, Design 5		084520 129214
		120037 129328
D	Porta-Pad	1201
	Proton Torpedo Outfit Back Cover	120216 129527
Demon, A-20 Kit 2		1202
Design Contest	0.R	1204
Designer's Special		1200
Drifter Kit	Quasar Kit	
E	R2 D2 Kit	1200
	Recovery Supplies 52, 54	121128
EB's		1212
EH's 6		1214
EM's 6		121739 1218 16 14066
Engine Blocks 6		
Engine Mounts 6	D. W.	1220
Engines, Rocket		122314 141555
Enterprise, Starship Kit 4		1224
Estes Aerospace Club		1225
Later Meruspace Glub		1227
F	Safety Code Inside Back Cover	123532 142210
	Sandhawk Kit	123648 146357
Farside Kit4	Saros Kit	1238
Fin Stock 6	Satellite Interceptor Kit	1239
FireFly Kit	Saturn V Kit	
	Saturn V Semi-Scale Kit	124242 221253
G-H	Scamp Kit	124344
German V-2 Maxi Kit 4	Scissor Wing Transport Kit	124637 221753
Goblin Kit	Scout Kit	124724 222550
Gyrock Kit	Scout, LTV Kit	124823 223454
Honest John Kit 4		124936 223954
Honest John, Maxi Kit 4	Shrike Kit	125035 224154
		125128 224754
	Skill Level Chart	125422
	Sky Hook Kit	125536 230053
Icarus Kit 1		
Igniters, Astron 5	Solar Sailer Kit 32	1256
Igniters, Solar 5	Space Shuttle Kit	126540 295062
Interceptor Kit	Sprint Kit 30	1267
Invader, Alien Kit	Stage Coupiers DI	126847
	Stariab Kit	126947 7105057
J-K	Starship Enterprise Kit 43	127023
	Star Trek Starter Kit 8	
JT's 6	Starter Kits 4, 6, 7, 8, 9, 10, 66	127125
Javelin Kit	Streak Kit	127334
Klingon Kit4		127443

MODEL ROCKI SHEETY CODE

 Construction — My model rockets will be made of lightweight materials such as paper, wood, plastic and rubber, without any metal as structural parts.

- Engines I will use only pre-loaded factory made model rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- Recovery I will always use a recovery system in my model rockets that will return them safely to the ground so that they may be flown again.
- Weight Limits My model rocket will weigh no more than 453 grams (16 ozs.) at lift-off, and the engines will contain no more than 113 grams (4 ozs.) of propellant.
- Stability I will check the stability of my model rockets before their first flight, except when launching models of already proven stability.
- 6. Launching System The system I use to launch my model rockets must be remotely controlled and electrically operated, and will contain a switch that will return to "off" when released. I will remain at least 10 feet away from any rocket that is being launched.
- 7. Launch Safety I will not let anyone approach a model rocket on a launcher until I have made sure that either the safety interlock key has been removed or the battery has been disconnected from my launcher.
- Flying Conditions I will not launch my model rocket in high winds, near buildings, power lines, tall trees, low flying aircraft, or under any conditions which might be dangerous to people or property.
- Launch Area My model rockets will always be launched from a cleared area, free of
 any easy to burn materials, and I will only use non-flammable recovery wadding in my
 rockets.
- 10. Jet Deflector My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly.
- 11. Launch Rod To prevent accidental eye injury I will always place the launcher so the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is not in an upright position.
- Power Lines I will never attempt to recover my rocket from power lines or other dangerous places.
- 13. Launch Targets & Angle I will not launch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead nor a payload that is intended to be flammable. My launching device will always be pointed within 30 degrees of vertical.
- 14. Pre-Launch Test When conducting research activities with unproven designs or methods, I will, when possible, determine their reliability through pre-launch tests. I will conduct launchings of unproven designs in complete isolation from persons not participating in the actual launching.

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the above code.



This Solid Propellant Model Rocketry Safety Code Is Approved by The National Association of Rocketry and the Hobby Industry Association of America.



